Index for Volume 77 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of errata are in italic. N indicates disease note.

Abdalla, O., 416
Abdullah, H., 318N
Accotto, G. P., 953N
Acer palmatum, canker, 197
Acremonium coenophialum
—in tall fescue: Rhizoctonia blight effect, 157; rust effect, 574
Actinidia deliciosa, bacterial blight, in California, 228
Adamsen, F. J., 480
Adaskaveg, J. E., 707, 1140
Adhikkri, T. B., 905
Adipala, E., 202, 1227
African cassava mosaic virus, whitefly-transmitted, PCR for detection, 340
Agrostis spp.
—*A. avenacea*, bacteria and nematode infection, livestock death association, 635
—*A. stolonifera*, slime mold, in Oregon, 1168N
Akiew, E., 319N
Albertini, L., 1251
Albugo occidentalis, on spinach, chlorothalonil and plant oil effect, 152
Alderman, S. C., 1020, 1045, 1168N
Aldwinckle, H. S., 63
Alfalfa
—clover root curculio larvae on, *Fusarium* interaction, 799
—foliar pathogens, seasonal dynamics in Iowa, 1126
—rootlet colonization and fungicide-treated plants, 601
—virus incidence, in western North America, 160
—yellow leafblotch, moisture requirements for spore germination and infection, 37
Ali-Haimond, D.-E., 1251
Alippi, A. M., 428N
Alippi, H. E., 428N
Allen, W. R., 210N, 915
Almond, ilarviruses of, in California, 756N
Alternaria spp., on apple fruit, fungicide control, 976
—*A. alternata*, on mango, relative humidity effect, 249
—*A. kikuchiana*, on pear, first report in France, 428N
—*A. macrospora*: on spurred anoda, cover photo, November; on spurred anoda, epidemic, 1164
—*A. porri*, on onion, seed treatment, 1009
Alvarez, A. M., 5
Amador, J. M., 846N
American Phytopathological Society, food and environment symposium, 296
Anand, S. C., 1151
Anderson, C. E., 847N
Anderson, R. L., 17
Anderson, S. H., 1151
Angiopteris evecta, southern blight of, in Australia, 756N
Anguina sp., on pasture grass, livestock death association, 635
Anisogramma anomala
—on filbert, fungicides for control, 831
—on hazelnut, clone susceptibility, 261
Annesi, T., 1169N
Annona muricata, rhabdovirus, identification, 276
Anoda cristata, Alternaria blight, epidemic, 1164
Antignus, Y., 253
Aphanomyces euteiches, on pea, bacterial biocontrol, 1185
Aphelenchoides ritzemabosi, on bean, new in Wyoming, 1168N
Apple
—*Alternaria* on fruit, control with calcium chloride and fungicides, 976
—*Botryosphaeria dothidea* on, isolate variation, 385
—fire blight, streptomycin-resistant bacteria associated with, 63
—fruit rot, moisture and temperature effect on fungicide, 181
—fungicides for, residue problems, 1114
—industry in Japan, history and diseases, 546
—Nectria twig blight, in Malawi, 428N
—scab, fungicide program, onset delay, 372
—scar skin viroid, detection, cRNA hybridization, 919
—sooty blotch and flyspeck, eradicant sprays, 451
Armillaria spp., on *Castanopsis* sp., in Thailand, 847N
—*A. ostoyae*, on pine, first report in Russian Far East, 101N
Arnó, J., 953N
Ascochyta spp.
—*A. fabae*, on lentil, gradients in Saskatchewan, 143
—*A. rabiei*, on chickpea, rate-reducing resistance, 231
Asparagus, rust resistance, hybrid populations, 1144
Aspen (see also Poplar)
—leaf coloration, 1263N
Aspergillus spp., on peanut, diniconazole and aflatoxins, under irrigation, 608
—*A. flavus*, on corn ear, resistance sources, 1169N
Astrodochium coloradenae, on aspen, Canada, 1263N
Atlin, G. N., 926
Aveling, T. A. S., 1009
Avena spp., diploid and hexaploid, oat crown rust resistance, 355
Averre, C. W., 1263N
Avila, F., 692
Avocado
—canker, symptoms in California, 95
—fruit decay, preformed antifungal compounds, 114
Ayers, J. E., 382
Azevedo, M. D., 574

Bacillus cereus, antagonist to *Pythium* on cucumber, biocontrol, 139
Backman, P. A., 311, 722
Bacteria, identification, Biolog GN MicroPlate system, 553
Baird, R. E., 405, 736, 973, 1168N
Baker, F. A., 136
Bala, G., 210N
Ball, D. A., 803
Bamboo mosaic virus, in Taiwan, incidence, 448
Banana, Fusarium wilt, in East Africa, 1063N
Banana bunchy top virus
—cover photo, January
—first report in Pakistan, 101N
—in Hawaii, detection, 952N
Barbarossa, L., 28
Bardinelli, T. R., 278
Barker, K. R., 111, 780
Barker, R. E., 574
Barley
—leaf rust, pathotypes, *Rph7*, 867
—net blotch, antagonists, 1251
—stem rust races in USA, 1122
—stem rust resistance, detection of gene *Rpg1*, 626
Barley yellow dwarf virus
—in Mexico, seasonal occurrence, serotypes, 623
—on oat, *Helminthosporium* interaction, 741
—in wheat, linkage to rust, genetic association, 1103
—on wheat and tall fescue, in Arkansas, 225
Barrault, G., 1251
Barrett, H. C., 1004
Bar-Zur, A., 580
Basallote, M. J., 952N
Bashir, M., 948, 999
Batlle, A., 536N
Batzer, J. C., 472
Baudry, A., 428N
Bean dwarf mosaic virus, whitefly-transmitted, PCR for detection, 340
Bean golden mosaic virus, whitefly-transmitted, PCR for detection, 340
Bean yellow mosaic virus, first report in Spain, 429N
Beaulieu, C., 1217
Beaupré, C. M.-S., 1168N
Beaver, R. W., 121, 608
Bechere, E., 416
Beck, R. J., 1098
Bedi, S., 143
Beede, R. H., 756N
Beet western yellows virus
—potato leafroll disease relation, 718
—rapeseed as overwintering host, 420
Belisario, A., 647N, 846N, 1050
Bell, D. K., 405, 736, 973
Bemisia tabaci
—geminivirus vector, PCR for detection, 340
—on lettuce and *Brassica*, growth effect, 969
—tomato mottle virus vector, 1181
Bergstrom, G. C., 468
Biggs, A. R., 976
Bilsland, D. M., 1020
Biological control
—*Alternaria macrospora* for spurred anoda, 1164
—*Bacillus cereus* for *Pythium* on cucumber, 139
—bacteria for cotton seedling disease pathogens, 278
—barley net blotch, 1251
—*Pseudomonas cepacia* for pear root rot, 1185
—*Pseudomonas fluorescens* for *Tilletia laevis* on wheat, 1012
—*Rhizoctonia* for leafy spurge, 681
—rust for broom snakeweed, 149
Bipolaris sacchari, on guineagrass, in Florida, 101N
Bird, G. W., 266
Bird, J., 1264N
Black, L. L., 797
Black, L. M., 102
Blackeye cowpea mosaic virus, seed infection and transmission, 875
Blake, J. H., 1262N
Blazquez, C. H., 477
Blom, J., 318N
Bluegrass, ergot, aerobiology, 1045
Blumeria graminis, on wheat, adult-plant

resistance and yield loss, 618
Blumeriella jaapii
—on cherry, spore discharge, temperature effect, 776
—on sour cherry, fungicides for, 703
Bockus, W. W., 508
Bødker, L., 896
Boiteux, L. S., 210N, 846N
Bollen, G. J., 1112
Bolton, A. T., 1248
Bond, W. P., 797
Bonde, M. R., 390, 961
Botryosphaeria spp., on peach, tree gummosis role, 170
—*B. allii*, on onion, cover photo, March
—*B. cinerea*: on grape, control by leaf removal, 1224; on *Limonium perigrinum*, first report, 1063N; on rose flowers, postharvest control, 283; on tomato fruit, heat treatment, 985
—*B. dothidea*: on apple fruit, isolate variation and susceptibility, 385; on apple, moisture and temperature effect on fungicide, 181; on pear, first report in Louisiana, 847N
—*B. stevensii*, on juniper, in Iowa, 210N
Boudon-Padieu, E., 408
Bouton, J. H., 157
Bowden, R. L., 335
Bradfute, O. E., 100N
Brammall, R. A., 484
Brassica spp., powdery mildew, in Wyoming, 1063N
—*B. campestris*, sweetpotato whitefly feeding, 969
Braunworth, W. S., Jr., 428N
Brenneman, T. B., 405, 505, 608, 736, 1168N
Brill, L. M., 70
Britton, K. O., 34, 1026
Broadbent, A. B., 318N
Bromus catharticus, rust, new record in South Africa, 1063N
Brown, E. M., 451
Brown, J. K., 1262N, 1264N
Brown, M. P., 942
Bruck, R. I., 166
Bruton, B. D., 667, 766, 1060
Burd, P., 249
Burge, G. K., 1063N
Burner, D. M., 1221
Burnett, P. A., 623
Burnette, D. C., 562
Burpee, L. L., 157
Burr, T. J., 63
Bursaphelenchus xylophilus, on pine, first report in Mexico, 846N

Cabunagan, R. C., 877
Cacciola, S. O., 1050
Cade, S. C., 166
Caesar, A. J., 681
Campbell, C. L., 1205
Campbell, K. W., 1169N
Campbell, R. N., 414
Cantaloupe (see also Melon, Muskmelon)
—postharvest decay, 1060
Canola, black leg, North Dakota, 1263
Capron, L. K., 63
Capsicum spp.
—*C. annuum*, viruses of, chemicals for, 1119
—*C. chinense*, tomato spotted wilt virus on, in Brazil, 210N
Carazo, G., 210N, 429N
Carling, D. E., 1262N
Carlson, H. L., 847N
Carnation
—leaf spot: cover photo, April; in Hawaii, 428N
Carraro, L., 496
Carroll, R. B., 382
Carrot, black root rot, postharvest handling and dip treatments, 989
Casela, C. R., 825, 908
Cash, J. N., 1114
Casper, H. H., 121
Castanopsis sp., *Armillaria* sp. on, first report in Thailand, 847N
Castro, S., 210N, 429N
Caudwell, A., 408
Cavallarin, L., 953N
Celery, Septoria blight, fungicides for, 1081
Cercospora spp.
—*C. arachidicola*: on peanut, epidemic prediction, rainfall factor, 722; on peanut, irrigation effect, 480
—*C. zeae-maydis*: on corn, rating methodology and inbred evaluation, 583; on corn, stiff stalk synthetic, resistance, 382
Cercosporidium personatum
—on peanut: cyproconazole for control, 505; fungicides for, 837; leaf spot epidemic, rainfall factor, 722
Cereals
—flame chlorosis, triticale host, 536N
—take-all, multiple component analysis, 437
Cervantes, L. A., 828
Chai, Y.-J., 448
Chakraborty, S., 1016
Chakravarty, P., 1093
Chalara elegans
—on carrot: cover photo, October; postharvest rot, handling and dip treatments for, 989
—selective medium, from soil, 930
Chandler, L. D., 505
Chang, T.-Y., 448
Chase, A. R., 553, 771
Chastagner, G. A., 528, 532
Chastain, T. G., 803
Chatchawankanphanich, O., 1168N
Cheah, L. H., 1063N
Chellemi, D. O., 100N
Chen, C. C., 367, 674
Chen, M. J., 367
Chen, T. A., 756N
Cherry
—mottle leaf, virus association, transmission, 271
—sour, leaf spot and powdery mildew control, fungicides for, 703
—sweet: decline factors, 266; postharvest decay, fumigation for, 810; X-disease and enlarged stipules, 756N
Chiang, B.-T., 1168N
Chickpea, yellowing disease, virus cause, symptoms, 922
Chilembwe, E., 428N
Chittaranjan, S., 930
Chiu, R. J., 367
Cho, J. J., 938
Choanephora infundibulifera, on soybean, 1262N
Christian, M. L., 239
Churchill, D. B., 1020
Cicer arietinum
—Ascochyta blight, rate-reducing resistance, 231
—virus diseases, in Spain, 210N
Circulifer tenellus, on tomato, big bud disease vector, 290
Citrus
—blight, cuttings, proteins, 1264N
—canker and bacterial spot, host range and leaf mesophyll relation, 1004
—greening, diagnosis with gentisic acid, 174
—gummosis, foot and root rot, seasonal effect, 729
—image analysis, aerial infrared photography, densitometric measurements, 477
—*Phytophthora* spp. on, detection using ELISA and standard methods, 791
—postbloom fruit drop, factors, 501
—postharvest disease, *Penicillium*, 537N
Citrus exocortis viroid, on marigold, new host, 953N
Citrus tristeza virus, on grapefruit, cross protection in South Africa, 24
Civerolo, E. L., 174, 1004
Cladosporium spp.
—*C. echinulatum*, on carnation, in Hawaii, 428N
—*C. vignae*, on *Lespedeza*, 1263N
Clark, C. A., 733
Clavibacter spp.
—*C. michiganensis*: on potato, detection, 1243; on tomato, control in North America, 1069; on tomato, cover photo, November; on tomato, secondary spread and yield, 364
—*C. toxicus*, on *Agrostis* and *Polypogon* spp., livestock poisoning, 635
—*C. xyli*, on sugarcane, digital image analysis system, 511
Claviceps purpurea
—on bluegrass: aerobiology, 1045; fungicides for, 685
—on ryegrass, sclerotial collection, 1020
Clover, club leaf revisited, 102
Cobb, A. C., 1233
Coble, H. D., 489, 613
Cochliobolus carbonum, race sporulation, 1153
Cochran, K. D., 537N
Cohen, B. A., 653
Cohen, R., 513
Cohen, S., 253
Coleosporium helianthi, on Jerusalem artichoke, genotype reaction, 242
Coleus forskohlii, aerial blight, in India, 429N
Colletotrichum spp., on strawberry, field factors and weather, 861
—*C. acutatum*: on dogwood fruit, in Connecticut, 536N; on dogwood fruit, cover photo, May; on flowering dogwood, 100N; on Japanese maple, canker, 197
—*C. coccodes*: on potato, development in Washington, 74; on potato, wounding and wetting effect, 13
—*C. dematium*: cover photo, March; on periwinkle, in Florida, 428N; on spinach, first report in California, 318N; on spinach, vegetative compatibility, 688
—*C. gloeosporioides*: on avocado and mango, preformed antifungal compounds, 114; on citrus, fruit drop incidence, factors, 501; on squash, in Florida, 847N; in *Stylosanthes scabra*, pathogenic variation, bioassay, 1016
—*C. graminicola*, on corn, epidemiology, corn residue effect, 67; on sorghum, dilatory resistance, 908; on sorghum, survival in residue, 825
—*C. lindemuthianum*, on bean, survival in debris, 1223
Collins, H. P., 521
Collins, J. K., 1060
Collins, R. P., 24
Collmer, A., 1243
Comstock, J. C., 511, 537N, 846N
Conifers, host and distribution records, new in Pennsylvania, 430
Conn, K. E., 228
Connell, J. H., 756N
Converse, R. H., 595, 1176
Cook, C. G., 846N, 1263N
Cooley, D. R., 296
Corn
—cyst nematode, first report in Virginia, 647N
—ear rot, resistance sources, 1169N; 1248
—gray leaf spot, corn residue effect, 67; methodology rating and inbred evaluation, 583; stiff stalk synthetic, resistance, 382

—maize streak virus and downy mildew interaction, 390
—northern leaf blight: epidemic in Texas, 1063N; *Ht*N gene detection, 580; resistance, race-nonspecific, 1227; in Uganda, 202
—storage fungi of, postharvest fungicides for, 562
—stunt of, spiroplasma identification in Argentina, 100N
—sweet: fungicide seed treatments, 348; resistance evaluation, hybrid nursery, 760
Correa-Victoria, F. J., 1029
Correll, J. C., 318N, 688
Corylus spp.
—*C. americana*, eastern filbert blight, clone susceptibility, 261
—*C. avellana*, eastern filbert blight, fungicides for, 831
Corynebacterium michiganense, on tomato, control in North America, 1069
Corynespora cassiicola
—on poinsettia, in Louisiana, 537N
—on vegetable crops, first report in Trinidad, 210N
Costa, H. S., 969
Cotton
—*Rhizoctonia solani* AG-4, seedling disease, fungicide and planting date effect, 79
—seedling disease pathogens, bacteria for control, 278
Cottonwood, rust, first report in central USA, 953N
Cover photo
—aerial blight, February
—*Alternaria macrospora* on spurred anoda, November
—apple, scab, May
—apple twig blight, April
—banana bunchy top virus, January
—black oak canker, December
—bluegrass Fusarium patch, April
—brussels sprout Sclerotinia rot, February
—butternut canker, June
—cabbage head rot, August
—carnation leaf spot, April
—*Chalara elegans*, on carrot, October
—cherry black knot, September
—chickpea rust, September
—clover club leaf, on periwinkle, January
—coffee rust, August
—*Colletotrichum* on potato, January
—*Colletotrichum acutatum*, on dogwood, May
—corn northern leaf blight, July
—cucurbit virus on pumpkin, November
—currant leaf-banding virus, September
—*Dendrophthoe falcata*, on pine, August
—dogwood anthracnose, January
—eggplant fruit rot, December
—*Epicoccum nigrum*, on cantaloupe, October
—*Erysiphe cruciferarum*, on *Brassica*, October
—garlic leaf spot, September
—grape, crown gall, April
—lantana flower blight, November
—lettuce wilt disease, July
—maple speckled tar spot, August
—*Melampsora medusae*, on hybrid poplar, May
—*Monilinia mali* on apple, June
—onion neck rot, March
—orange, blue whisker mold, May
—plum pox virus, on apricot, December
—potato late blight, July
—prune wind scab, January
—*Pyrenophora tritici-repentis*, October
—red pine freeze damage, February
—rice leaf smut, June
—*Sclerophthora macrospora*, on bluegrass, June
—snap bean bacterial blight, February
—soursop yellow blotch, March
—spinach anthracnose, March
—sweet cherry X-disease, July
—tomato bacterial canker, November
—tomato mottle virus, December
—turnip vein-clearing virus, January
—wheat blast, March, *756N*
Cowpea
—root and stem rot, pathogenicity, in Sri Lanka, 1158
—seedborne viruses of, in Pakistan, 948
—viruses, in Senegal, distribution and resistance sources, 999
Cowpea chlorotic mottle virus, from Nigeria, characteristics, 60
Craig, M. L., 692
Crambe abyssinica, bacterial blight, in Missouri, 569
Crataegus aestivalis, fire blight, 1262N
Crescenzi, A., 28
Cristulariella moricola, on grape, first report, 756N
Cronartium spp.
—*C. quercuum*, on pine, 26 new hosts, 17
—*C. ribicola*, in North Dakota, first report, 952N
Crucifers, pepper spot, *Pseudomonas* strain comparison, 414
Cucumber
—cottony leak, suppression with bacteria, 139; *Pythium*, transmission and control under irrigation, 287
Cucumber mosaic cucumovirus, populations in epidemic, Italy, 28
Cucurbit aphid-borne yellows virus
—first report in USA, 1169N
—on pumpkin, cover photo, November
Cucurbits, wilt, inoculation technique, 1198
Culbreath, A. K., 405, 505, 736, 973
Cunningham, R. A., 678
Curvularia senegalensis, on kenaf, in Texas, 846N
Cymbidium mosaic virus, on orchids, detection in Hawaii, 464
Cypress, Seiridium blight, letter, 544

D'Arcy, C. J., 225
da Graça, J. V., 24
Damicone, J. P., 257
Damsteegt, V. D., 390, 1098
Das, M. K., 618
Datnoff, L. E., 210N
Davis, D. P., 722
Davis, M. A., 508
Davis, R. E., 815
Davis, R. M., 537N
de B. Giordano, L., 846N
de Blas, C., 210N, 429N
Deahl, K. L., 429N, 653
Debons, J., 428N
Delserone, L. M., 1243
DeMuth, S. P., 429N
de Nazareno, N. R. X., 67
Dendrophthoe falcata
—on pine, cover photo, August
—on *Pinus kesiya*, 847N
Derrick, K. S., 1264N
de Souza-Dias, J. A. C., 744
Diagnosis
—isozyme analysis, plant pathogenic fungus identification, 961
—monoclonal antibodies, *Phytophthora*, 1189
Dibotryon morbosum, on black cherry, cover photo, September
Dickson, D. W., 499
Didymella bryoniae, on squash, in Florida, 847N
Didymium squamulosum, on bentgrass, in Oregon, 1168N
Dietz-Holmes, M. E., 1266
Dilbar, A., 210N
Dillard, H. R., 1233
Discula spp.
—*D. campestris*, on sugar maple, symptoms and pathogenicity, 1022
—*D. destructiva*: on dogwood, in North Carolina, 34; on dogwood, seed isolation, 1026
Disease thresholds, terms and concepts, yield and crop loss, 211
Diseases, common names, 320
Dobson, B. G., 1063N
Dogwood
—anthracnose, in Connecticut, 536N; cover photo, January; in North Carolina, 34; seed isolation, 1026
—limb dieback, *Colletotrichum* cause, 100N
Domier, L. L., 536N
Donald, P. A., 647N
Doupnik, B., Jr., 1170
Draper, M. A., 952N
Drechslera spp.
—*D. teres*, on barley, antagonists, 1251
—*D. turcica*, on corn, cover photo, July
Drennan, J. L., 1243
Drenth, A., 653
Duarte, V., 733
Dunbar, K. B., 517
Duniway, J. M., 1106
Dusi, A. N., 1264N
Dwinell, L. D., 846N
Dyer, A. T., 653

Eastburn, D. M., 760
Eathington, S. R., 1136
Eckert, J. W., 537N
Ehret, G. R., 703, 1114
Eisenback, J. D., 647N
El-Gholl, N. E., 847N
El-Hadidi, M. F., 1114
Elliott, M. L., 206, 210N, 429N
Elliott, M. S., 747
Elliott, V. J., 455
Ellis, M. A., 537N, 861
Ellis, P., 718
Elm, canker of, inoculation response, 678
English, J. T., 1224
Entyloma oryzae, on rice, cover photo, June
Enzymes, isozyme, analysis, pathogenic fungus identification, 961
Epicoccum nigrum
—on cantaloupe: cover photo, October; postharvest decay, 1060
Errampalli, D., 953N
Errata
—vol. 76, no. 11, 1992, 321
—vol. 77, no. 3, 1993, 756N
Erwinia spp.
—*E. amylovora*, streptomycin-resistant bacteria associated with, 63; on mayhaw, Georgia, 1262N
—*E. carotovora*, host range in hydroponically grown plants, 472
—*E. chrysanthemi*, on sweetpotato, *Fusarium solani* interaction, 733
—*E. stewartii*, on corn, resistance evaluation in disease nurseries, 760
Erysiphe spp.
—*E. cichoracearum*, on Jerusalem artichoke, genotype reaction, 242
—*E. cruciferarum*: on *Brassica*, cover photo, October; on *Brassica*, in Wyoming, 1063N
Esgar, R. W., 1136
Eucalyptus spp., leaf spot, first report in Mediterranean area, 846N
—*E. marginata*, *Phytophthora cinnamomi* on, water dispersal, 1085
Euphorbia esula

—pathogens in China, 319N
—*Rhizoctonia* spp. on, biocontrol, 681
Eutypa lata, on grapevine, fungicides for, 50
Evans, C. K., 981
Evensen, K. B., 283
Exserohilum spp.
—*E. rostratum*, on kenaf, in Texas, 846N
—*E. turcicum*: on corn, epidemic in Texas, 1063N; on corn, *HtN* gene detection, 580; on corn, race-nonspecific resistance, 1227; on corn, resistance evaluation in disease nurseries, 760; on corn, in Uganda, 202

Fabellar, N., 376
Fairman, R. G., 1085
Falk, B. W., 1169N
Fallik, E., 985
Faluyi, M. A., 926
Farrar, C. A., 1077
Faucher, E., 1217
Fernandes, J. M., 698
Fernandez, M. R., 698
Fernando, W. G. D., 1158
Ferreira, A. S., 908
Ferreira, S., 464
Ferrin, D. M., 591
Festuca arundinacea
—endophyte and rust relation, 574
—endophyte effect on Rhizoctonia blight, 157
Ficus spp., tomato spotted wilt virus, first report in Spain, 536N
Filip, G., 101N
Fischer, D. B., 662
Fletcher, D. C., 1262N, 1264N
Fletcher, J., 953N
Flores, Z. M., 877
Flynn, P. H., 210N
Focus, 4, 120, 219, 328, 436, 545, 652, 759, 853, 960, 1068, 1175
Foeniculum vulgare, bacterial disease, new in California, 319N
Fonseca, M. E. N., 952N, 953N
Forti, E., 1169N
Franc, G. D., 1168N
Frank, J. A., 741
Frankle, W. G., 1090
Frankliniella spp.
—*F. fusca*, tomato spotted wilt virus vector, 797
—*F. occidentalis*: on tomato, oil, soap, and film products for control, 915; on tomato, spotted wilt virus vector, 938
Frederiksen, R. A., 825, 908, 1063N
Freeman, S., 1198
Frison, E. A., 1176
Fry, J. D., 1040
Fry, W. E., 653
Fukunishi, T., 882
Fulbright, D. W., 1012
Fuller, D. L., 537N
Fungicides (general) (see also Fungicides, specific)
—alfalfa, yield and fungus infection, 601
—apple fruit decay, 976
—apple fruit infection, factors, 181
—apple, residue programs, zero tolerance, 1114
—apple scab control, program delay, 372
—cherry leaf spot control, on sour cherry, 703
—corn storage fungi, postharvest application, 562
—cotton seedling blight, *Rhizoctonia solani*, 79
—eastern filbert blight, on hazelnut, evaluation, 831
—eradicant spray program, apple diseases, 451
—Eutypa dieback of grapevines, 50
—foliar, for tomato early blight, 484
—fumigant: for cherry postharvest decay control, 810; gypsophila diseases controlled by, 933
—Kentucky bluegrass, ergot, 685
—kiwi root rot, phenylamides, 1239
—lupine seed treatment, yield effect, 892
—mango blossom diseases controlled by, fruit set and yield, 558
—onion seed treatment, 1009
—peach brown rot, postharvest, 1140
—peanut late leaf spot, protectant vs. systemic fungicide, 837
—plant oils, effect on apple and spinach diseases, 152
—seed treatments, corn, 348
—Septoria blight of celery, applications, 1081
Fungicides (specific) (see also Fungicides, general)
—carbofuran and thiabendazole, pitch canker of loblolly pine effect, 166
—chlorothalonil, on peanut, foliage residue, 455
—cyproconazole, peanut leaf spot controlled by, 505
—difenoconazole, wheat seed treatment, dwarf bunt, 1148
—flutolanil, peanut shell mycobiota affected by, 405
—fosetyl-Al, ornamental bacterial diseases controlled by, 771
—metalaxyl, Pythium root rot of sainfoin, 1093
—pyrrolnitrin, postharvest control of Botrytis blossom blight on rose, 283
—triadimefon, for pumpkin powdery mildew, 319N
Fusarium spp.
—*F. graminearum*, on corn, ear rot resistance, 1248
—*F. lateritium*, on sweetpotato, chlorotic leaves, 1260
—*F. oxysporum*: on alfalfa, curculio larvae interaction, 799; on banana, in East Africa, 1063N; on basil, first report in California, 537N; on bean, races and inoculum concentration, 492; on cucurbits, inoculation technique, 1198; on lettuce, cover photo, July; on lettuce, new wilt disease, 750; on squash, in Florida, 847N
—*F. semitectum*, on squash, in Florida, 847N
—*F. solani*: on soybean, field and greenhouse reaction compared, 163; on soybean, relation to sudden death syndrome, 647N, 1264N; on sweetpotato, *Erwinia chrysanthemi* interaction, 733
—*F. subglutinans*, on loblolly pine, carbofuran and thiabendazole effect, 166

Gabor, B. K., 1189
Gadoury, D. M., 299, 372
Gaeumannomyces graminis
—on cereals, multiple component analysis, 437
—on rice, in Florida, 210N
—on St. Augustinegrass, in California, 536N; root rot, 206
—on zoysiagrass, in Illinois, 100N
Gallitelli, D., 28
Gallo R., M. I., 846N
Gamliel, A., 886, 933
Garcia, S. M., 703, 776
Garlic, leaf spots, first report in Spain, 952N
Garnier, M., 1055
Garrido, M. J., 847N
Gat, Z., 249
Gatti, J. M., Jr., 797
Gatumbi, R. W., 1260
Gaye, M.-M., 989
Geaghan, J. P., 393
Gergerich, R. C., 225
Gerik, J. S., 750
Germ plasm, plant, Quarantine Center, 854
Gidoni, D., 253
Gilbert, J., 398
Gilbertson, R. L., 319N, 340, 707
Gildow, F. E., 741
Gillaspie, A. G., Jr., 352, 875
Gillespie-Sasse, L.-M., 521
Gilliland, G. C., 420
Gitaitis, R. D., 101N, 318N, 1069
Gleason, M. L., 210N, 1069
Gloeodes pomigena, on apple, eradicant spray, 451
Goates, B. J., 1148
Gobelman-Werner, K. S., 355
Goheen, D., 852
Golino, D. A., 290
Golob, C. T., 685
Gomez, J., 100N
Gooden, J. M., 635
Goodwin, S. B., 653
Gorbet, D. W., 747
Gordon, D. T., 100N
Goth, R. W., 402, 595, 911
Gottwald, T. R., 1004
Gould, W. D., 278
Graham, J. H., 1004
Graham, M. J., 382
Graminella nigrifrons, maize chlorotic dwarf virus vector, on corn and johnsongrass, 55
Graniti, A., 544
Grapefruit, citrus tristeza virus, cross protection, 24
Grapevine
—Botrytis bunch rot, control, 1224
—crown gall, cover photo, April
—Eutypa dieback of, fungicide effect, 50
—yellows: *Scaphoideus titanus*, possible vector, 408; symptoms and occurrence in Italy, 496
—zonate leaf spot, first report, 756N
Graves, W. R., 428N
Gray, F. A., 1063N
Green, D. E., II, 1040
Green, S. K., 1168N
Greig, N., 210N
Grelen, L. B., 393
Griffey, C. A., 618, 867
Grinberg, S., 985
Grisham, M. P., 537N, 1221
Gubler, W. D., 228, 1169N
Gudauskas, R. T., 1263N
Gudmestad, N. C., 1243
Guerber, J. C., 688
Gullino, M. L., 1169N
Gutierrezia sarothrae, rust of, teliospore germination, 149
Gypsophila paniculata, solarization and fumigation effect, 933

Haber, S., 536N
Hadar, E., 933
Hadidi, A., 595
Hagan, A. K., 206 1169N
Hagedorn, C., 278
Hall, F. R., 186
Hall, J. M., 952N
Hallauer, A. R., 382
Hamilton, R. I., 1248
Hammer, P. E., 283
Hampton, R. O., 220, 948, 999
Hancock, J. G., 601
Handelsman, J., 139
Handley, M. K., 335
Hang, A. N., 42, 420
Hanna, W. W., 121
Hanson, P. M., 711
Harada, Y., 546
Harberger, V., 101N
Hardham, A. R., 1189
Harris, G. K., 553

Harrison, K. J., 1263N, 1264N
Hartman, G. L., 588
Hartson, S. D., 21
Hasey, J. K., 228
Hausbeck, M. K., 319N
Havey, M. J., 139
Hawk, J. A., 382
Haynes, K. G., 402, 911
Hearn, C. J., 1004
Helianthus tuberosus, genotype reaction to rusts and powdery mildew, 242
Heliconia sp., *Pseudomonas solanacearum* on, in Australia, 319N
Helminthosporium avenae, on oat, barley yellow dwarf virus interaction, 741
Hemileia vastatrix, on coffee, cover photo, August
Hendrix, F. F., 1026
Henz, G. P., 846N
Hershman, D. E., 1263N
Heterobasidion annosum, on pine, regression tree analysis, 136
Heterodera spp.
—*H. glycines*: on soybean, cropping system effect, 780; on soybean, detection in Brazil, 499; on soybean, sudden death syndrome association, 647N
—*H. zeae*, on corn, first report in Virginia, 647N
Hewings, A. D., 390, 536N, 1098
Hibino, H., 877
Hiebert, E., 1181
Hill, J., 1224
Himmel, P. T., 536N
Hobbs, H. A., 797
Hodge, N. C., 569, 1217
Hodges, C. S., Jr., 136
Holcomb, G. E., 537N, 847N, 1168N
Holmes, G. J., 537N
Hong, W.-F., 674
Hooker, M. E., 174
Hop, latent viroid, Brazil introduction to USA, 952N
Hopkins, D. L., 1090
Hopkins, M. S., 875
Horan, D. P., 1189
Hosein, F., 210N
Howell, W. E., 919
Hower, A. A., 799
Hoy, J. W., 393
Hsu, H.-T., 815
Hsu, S.-T., 674
Hsu, Y.-H., 448
Hu, J. S., 464, 952N
Huang, T.-Y., 448
Huang, Y. H., 588
Hubbard, J. C., 750
Huber, D. M., 437
Hunger, R. M., 981, 1202
Hwang, B. K., 1256
Hwang, J. S., 1256
Hwang, S. F., 1093
Hyde, K. D., 319N
Hydroponic, vegetables grown in, Erwinia stem rot of, host range, 472
Hypoxylon atropunctatum, on oak, cover photo, December

Idris, A. M., 1262N
Igarashi, S., 1211
Iizuka, N., 1264N
Impatiens necrotic spot virus, on woody plants in Georgia, 318N
Impatiens wallerana, Verticillium wilt of, first report in USA, 429N
Ingle, M., 976
Instructions to authors, 104
Integrated pest management
—biological and cultural disease control, symposium, 311
—fruit production, pest control, symposium, 299
—national coalition, symposium, 315
—objectives, symposium, 296
—peanuts, working system, symposium, 307
—potato, information delivery and management, symposium, 309
—wheat, symposium, 303
Ipomoea purpurea, resistance, genetic variation, 901
Irvine, J. E., 846N

Jacobi, J. C., 722
Jacobsen, B. J., 311, 562
James, D., 271
Janisiewicz, W. J., 283
Jardine, D. J., 1264N
Jeutong, F., 133
Jin, Y., 626 867
Johnson, D. A., 13, 74, 1144
Johnson, E. L. V., 791
Johnson, J. W., 1114
Johnson, K. B., 261, 831
Johnson, M. W., 969
Johnson, R. R., 797
Johnsongrass mosaic virus, on sorghum, in Venezuela, 847N
Johnston, W. J., 685
Jones, A. L., 266, 703, 776, 1114
Jones, D. B., 210N
Jones, J. B., 553
Jones, M. P., 133
Jones, P. N., 1016
Juniper, Botryosphaeria canker, in Iowa, 210N
Juzwik, J., 630

Kaiser, W. J., 922
Kane, R. T., 100N
Kaps, M. L., 1224
Karakaya, A., 1063N
Katan, J., 933
Kato, H., 1211
Kaufman, H. W., 1063N
Keen, N. T., 114
Keller, C. J., 1098
Keller, K. E., 999
Kelley, W. D., 754
Kenaf
—*Exserohilum, Curvularia*, and *Nigrospora* spp. on, in Texas, 846N
—*Phymatotrichum omnivorum*, Texas, 1263
Kendig, S. R., 1151
Kesner, C. D., 703
Khalid, S., 101N
Kihurani, A. W., 1260
Kikuchi, T., 546
Kinal, J., 1085
King, E. B., 1185
Kinney, P. M., 1262N
Kirkpatrick, B. C., 290, 756N
Kitajima, E. W., 276, 726, 952N, 953N
Kiwi, root rot, fungicides for, 1239
Klein, J., 985
Klein, R. E., 922
Klein, W. M., 703
Kloppers, F. J., 1063N
Knauft, D. A., 747
Knott, E. A., 348, 952N
Knox, G., 100N
Koch, D. W., 1063N
Koenning, S. R., 780
Koganezawa, H., 877
Koh, Y. J., 653
Koike, S. T., 318N, 319N
Kornegay, J. L., 711
Kosaka, Y., 882
Kotzé, J. M., 558
Kraft, J. M., 220
Krausz, J. P., 1063N
Krishna Kumar, N. K., 938
Kristjansson, G. T., 87
Krupinsky, J. M., 678
Kumar, S., 429N
Kushalappa, A. C., 1081
Kuznia, R. A., 892

Labrinos, J. L., 837
Lachnellula willkommii, on larch, Canada, 1264N
Laguna, I. G., 100N
Lalazar, A., 985
Lamey, H. A., 1263N
Lamison, C., 70
Lamkey, K. R., 382
Landschoot, P. J., 1169N
Lansac, M., 1055
Lantana camara, Phytophthora flower blight, 1168N
Larch, canker, Canada, 1264N
Larsen, R. C., 922
Lartey, R. T., 21
Larue, P., 428N
Latin, R. X., 647N
Latorre, B. A., 715, 1239
Laviña, A., 536N
Leach, J. E., 5
Leath, K. T., 100N, 799
Leath, S., 1153, 1266
Lecoq, H., 1169N
Lee, I.-M., 815
Lee, R. F., 174
Legendre, B. L., 537N, 1221
Lemaire, O. J., 1169N
Lenardon, S. L., 100N
Lentil, Ascochyta blight, gradients, 143
Leonard, K. J., 786, 1153
Leptosphaeria maculans
—on canola, North Dakota, 1263N
—on oilseed rape, sporulation, ascospore release, and mating in crosses, 538
Leptotrochila medicaginis, ascospore discharge and germination, moisture requirements, 37
Lespedeza spp., leaf blight, 1263N
Leroul, N., 896
Letters
—log importation, 852
—nematology, concepts and terminology, 111
—Seiridium blight, cypress, 544
Lettuce
—drop, sodium tetrathiocarbonate for, 995
—Fusarium wilt of, new disease, 750
—soil pathogens, compost fertilizer solarization effect, 886
—sweetpotato whitefly, growth effect, 969
Leu, L. S., 642
Levy, L., 595
Liddell, C. M., 149
Lim, S. M., 163, 1136
Limonium perigrinum, *Botrytis cinerea* on, first report, 1063N
Lin, N.-S., 448
Linda, S. B., 869
Linderman, R. G., 1158
Line, R. F., 303, 1148
Lipps, P. E., 67, 202, 234, 1227
Lister, R. M., 623
Little, E. L., 319N
Liu, W.-J., 319N
Loi, N., 496
Lomaniec, E., 985
Long, D. L., 125, 129, 786, 1122
Lonsdale, J. H., 558
Lotus corniculatus, rust of, first report in US, 100N
Louie, R., 55
Luft, R., 915
Lund, R. E., 1266
Lupine

—pod and stem rot, field evaluation, 926
—root necrosis, seed treatment and yield effect, 892
Lupinus texensis, *Sclerotinia minor* on, first report in Texas, 318N
Lurie, S., 985

MacDonald, G., 101N
MacHardy, W. E., 372
Madden, L. V., 55, 67, 202, 861
Madkour, M. A., 595
Magnano di San Lio, G., 1050
Magnaporthe spp.
—*M. poae*, on bentgrass, patch disease association, 429N
—*M. rhizophila*, on bluegrass, first report in North America, 1169N
Maguire, J. D., 685
Mahmood, T., 225
Mainjeni, C. E. D., 428N
Maixner, M., 408
Maize chlorotic dwarf virus, spread from corn and johnsongrass, 55
Maize dwarf mosaic virus
—on corn, nitrogen and moisture effect
—johnsongrass control and vector effect, 613
Maize dwarf mosaic virus B, sugarcane mosaic virus strain, on gamagrass, 335
Maize streak virus, on corn, downy mildew interaction, 390
Maize stripe virus, characterization in Taiwan, 367
Mangifera indica, black spot of, relative humidity effect, 249
Mango
—blossom diseases, chemical control and yield effect, 558
—fruit decay, preformed antifungal compounds, 114
Marattia salicina, southern blight of, in Australia, 756N
Marco, S., 1119
Marigold, citrus exocortis viroid, new host, 953N
Marinho, V. L. A., 952
Marois, J. J., 50
Marshall, K. D., 537N
Marssonina rosae, on rose, in Mississippi, 246
Martelli, G. P., 28
Martins, C. R. F., 276, 726
Martyn, R. D., 667, 766
Mason, P. A., 953N
Matejka, J. C., 729, 995
Mather, D. E., 926, 1248
Matheron, M. E., 729, 995
Mattheis, J. P., 810
Matuszak, J. M., 653
Maxwell, D. P., 340, 1168N
McCarter, S. M., 242, 1262N
McCay-Buis, T. S., 437
McDonald, J. G., 87
McEntee, J. P., 149
McGovern, R. J., 1181
McGrath, M. T., 319N
McKay, A. C., 635
McKeen, C. D., 1106
McKemy, J. M., 1263N
McManus, P. S., 1012
McMillan, R. T., Jr., 428N
Mehlenbacher, S. A., 261
Melakeberhan, H., 266
Melampsora spp.
—*M. larici-populina*, on poplar, first report in North America, 532
—*M. medusae*: on poplar, cover photo, May; on poplar, epidemic in Columbia River Valley, 528
—*M. occidentalis*, on cottonwood, first report in central USA, 953N
Melcher, U., 21
Melero-Vara, J. M., 952N
Meloidogyne chitwoodi
—on onion, pathogenicity, 847N
—on potato, green manure effect, 42
Melon (see also Cantaloupe, Muskmelon)
—powdery mildew of, detection assay for race 1, 513
Mendes, M. L., 499
Menge, J. A., 791
Mengistu, A., 538
Meronuck, R. A., 892
Merrick, L. C., 926
Merrill, W., 430
Mertely, J. C., 667, 766
Mew, T. W., 5
Mezzalama, M., 623
Micales, J. A., 961
Michailides, T. J., 90
Microdochium nivale, on bluegrass, cover photo, April
Mihail, J. D., 569
Milholland, R. D., 1263N
Miliczky, E. R., 13, 74
Miller, D. J., 822
Miller, J. D., 626
Miller, M. E., 667, 766
Miller, R. W., 707
Miller, S. A., 537N, 791
Milus, E. A., 225
Mink, G. I., 747, 919
Mohan, K., 952N
Mohan, S. K., 348
Mojtahedi, H., 42
Moltzan, B. D., 953N
Monilinia spp.
—*M. fructicola*, on peach, fungicides, 1140
—*M. mali*, on apple, cover photo, June
Monosporascus cannonballus
—on muskmelon: ascospore quantification, 766; host range, 667
Montasser, M. S., 595
Moore, J. D., 736
Moore, J. F., 1224
Moore, W. F., 257
Moorman, G. W., 287
Moots, C. K., 163
Mora-Aguilera, G., 1205
Morant, M. A., 424
Morelock, T. E., 688
Morgan, D. P., 90
Morgan-Jones, G., 1168N, 1263N
Moriones, E., 953N
Morrall, R. A. A., 143
Morris, J. B., 517
Morzières, J. P., 428N
Mostafa, M., 1251
Motta, E., 1169N
Moustafa-Mahmoud, S. M., 79
Moyer, J. W., 952N
Mudita, I. W., 1081
Muehlbauer, F. J., 220
Mukerji, S., 271
Mullen, J. M., 206, 1169N
Mullin, B. A., 846N
Mullinix, B. G., 405, 736, 973
Muñoz, R., 715
Munkvold, G. P., 50
Murray, G., 536N
Muskmelon (see also Cantaloupe, Melon)
—*Monosporascus cannonballus* on, ascospore quantification, 766
—root rot, host range, 667
Muyolo, N. G., 234
Mycoplasmalike organisms
—aster yellows: strains, assay with monoclonal antibodies, 815; wheat and peanut nonsusceptible to, 953N
Mycorrhizae, Pythium root rot of sainfoin affected by, 1093
Mycotoxin, in pearl millet grain, in Georgia, 121
Myrtle, *Phytophthora iranica*, new root pathogen in Italy, 1050
Myzus persicae, virus vector, harvest using acetone, 744

Nagata, N., 428N
Nagata, T., 210N, 952N, 1264N
Nakova, M., 1224
Naude, S. P., 1009
Nault, L. R., 55
Ndiaye, M., 999
Nectria cinnabarina
—on apple: cover photo, April; in Malawi, 428N
Neher, D. A., 1106
Nelson, L. S., 63
Nematology, concepts and terminology, resistance tolerance, letter, 111
Newcombe, G., 528, 532
Newman, J. S., 318N
Niblack, T. L., 647N
Nickell, C. D., 163, 1136
Nieto-Angel, D., 1205
Nigrospora oryzae, on kenaf, in Texas, 846N
Noffsinger, E. M., 847N
Norelli, J. L., 63
Noris, E., 953N
Northover, J., 152
Nourrisseau, J. G., 1055
Nutter, F. W., Jr., 211, 837, 1126

Oat
—*Helminthosporium avenae* and barley yellow dwarf virus interaction, 741
—loose smut: resistance evaluation, 818; resistance inheritance, 822
—stem rust races in USA: 1122; in 1990, 125; in 1991, 129
Ocimum basilicum, Fusarium wilt, in California, 537N
Odontoglossom ringspot virus, on orchids, detection in Hawaii, 464
Odvody, G. N., 1063N
O'Gara, E. T., 1189
O'Garro, L. W., 198
Ogawa, J. M., 546, 1140
Oleson, A. E., 1243
Onion
—*Alternaria porri* and *Stemphylium vesicarium* on seed of, treatments, 1009
—leaf blight, in Barbados, 198
—root-knot of, pathogenicity, 847N
—scape blight, tospovirus association, 952N
Onobrychis viciifolia, Pythium root rot, nitrogen fixation effect, metalaxyl and mycorrhizae, 1093
Ophel, K. M., 635
Ophiosphaerella herpotricha, on zoysiagrass, pathogenicity, 1040
Orchids, virus detection, in Hawaii, 464
Ormrod, D. J., 429N
Ornamentals, bacterial diseases, fosetyl-Al for control, 771
Osler, R., 496
Osorio, J. M., 1140
Ostry, M. E., 953N
Othman, W. M. W., 318N
Otrysko, B., 1217

Pérez de Algaba, A., 952N
Pair, J. C., 1040
Palm, M. E., 100N
Pane, A., 1050
Panicum maximum, *Bipolaris sacchari* on, in Florida, 101N
Papaya ringspot virus, prediction model, 1205
Parbu, S., 210N
Paradis, E., 1217
Paris, H. S., 847N

Parke, J. L., 1185
Parker, K. C., 181, 385
Passiflora leaf mottle virus, Puerto Rico, 1264N
Pastor-Corrales, M. A., 711
Pataky, J. K., 760, 1136
Patel M. V., 257
Paulitz, T. C., 926
Paulraj, L., 198
Payne, J. A., 1262N
Pea
—damping-off and root rot, biocontrol, 1185
—disease yield and cropping history, 896
Pea seedborne mosaic virus
—in Brazil, 1264N
—in germ plasm collection, USDA, elimination, 220
Pea streak carlavirus, on chickpea, symptoms, 922
Peach
—brown rot, fungicide control, 1140
—detection in grafts, 101N
—gummosis, *Botryosphaeria* role, 170
—ilarviruses of, in California, 756N
—wood decay and decline, in South Carolina, 707
Peaden, R. N., 160, 1144
Peanut
—*Aspergillus* and aflatoxin, diniconazole effect under irrigation, 608
—chlorothalonil residue on foliage, factors, 455
—late leaf spot of: fungicidal control, 505; fungicide evaluation, 837
—leaf spot: epidemic prediction, rainfall factor, 722; irrigation effect, sodium, 480
—Sclerotinia blight, growth and sclerotial production of pathogen, 576
—shell mycobiota: factors affecting, 736; flutolanil treatment effect, 405
—wild species and hybrids, viruses of, 517
Peanut stripe virus, peanut mottle virus compared to, production in Florida, 747
Pear
—Botryosphaeria canker, first report in Louisiana, 847N
—leaf scorch, pathogenicity and isolation in Taiwan, 642
—side rot of, inoculum dispersal in orchards and tanks, 47
—stony pit, spread in Ontario, 210N
Pearson, R. C., 408
Pedersen, D., 536N, 647N
Pedersen, E. A., 143
Pelter, G., 429N
Penicillium spp.
—*P. expansum*: conidial survival, in fruit packinghouse water, 828; on sweet cherry, postharvest decay, fumigation, 810
—*P. ulaiense*: on citrus, postharvest disease in California, 537N; on orange, cover photo, May
Pennington, R. E., 21, 1202
Pennisetum spp.
—*P. glaucum*: fungal and mycotoxin contamination, in Georgia, 121; rust of, virulence identification, 100N
—*P. purpureum*, virus from, unique, 726
Pennypacker, B. W., 100N
Peplinski, J. D., 430
Perilla, bacterial wilt, transmission, 674
Periwinkle
—clover club leaf, cover photo, January
—twig blight, first report in Florida, 428N
—web blight, in Alabama, 1169N
Peronosclerospora philippinensis, on corn, maize streak virus interaction, 390
Perring, T. M., 1077
Pesticides, pyrethroids, cantaloupe viruses, growth and yield, 1077
Peterson, G. L., 961
Phaeoseptoria eucalypti, on *Eucalyptus*, in Mediterranean area, 846N
Phanichapol, D., 847N
Phaseolus vulgaris
—anthracnose, survival in debris, 1233
—*Aphelenchoides ritzemabosi* on, new in Wyoming, 1168N
—Ascochyta blight, resistance and sources, 711
—Fusarium wilt, races and inoculum concentration effect, 492
—Rhizoctonia blight, cultivar reaction, 234
Phialophora malorum, on pear, inoculum dispersal in orchards and tanks, 47
Philip, B. A., 1189
Phipps, P. M., 307
Phoma sp., on white lupine, field evaluation, 926
—*P. exigua*, on bean, resistance and sources, 711
—*P. macrostoma*, on fevertree, first report, 1168N
Phomopsis spp., on soybean, immunodetection, 70
—*P. longicolla*, on soybean, seed decay study prototype, 329
—*P. vexans*, on eggplant, cover photo, December
Phymatotrichum omnivorum, on kenaf, Texas, 1263N
Phytophthora spp., in citrus, detection using ELISA and standard methods, 791
—*P. capsici*, on tomato, isolate virulence in Taiwan, 588; on tomato, resistance in Korea, 1256
—*P. cinnamomi*: diagnosis, monoclonal antibodies, 1189; on jarrah, water dispersal, 1085; on *Taxus* spp., in Ohio, 537N
—*P. citricola*, on raspberry, root rot in Chile, 715
—*P. citrophthora*: on citrus, seasonal effect, 729; on giant redwood, container-grown, 591
—*P. cryptogea*, on kiwi, fungicides for, 1239
—*P. infestans*: metalaxyl resistance in, 429N; migrations, historical and recent, 653; on potato, cover photo, July
—*P. iranica*, on myrtle, new pathogen in Italy, 1050
—*P. parasitica*, on citrus, seasonal effect, 729; on lantana, cover photo, November; on lantana, first report, 1168N; on tomato, population and yield factors, 1106
—*P. vignae*, on cowpea, pathogenicity, in Sri Lanka, 1158
Picea excelsa, *Sirococcus conigenus* on seeds, 1169N
Pilowsky, M., 253
Pinckneya pubens, Phoma leaf spot, first report, 1168N
Pine
—limber, rust, first report in North Dakota, 952N
—loblolly: foliar blight, pathogen characterization, 754; pitch canker, carbofuran and thiabendazole effect, 166
—red, freeze damage, cover photo, February
Pinkerton, J. N., 261, 831
Pinnow, D. L., 517, 875
Pinus spp., fusiform rust of, 26 new hosts, 17
—*P. estevesii*, pinewood nematode on, first report in Mexico, 846N
—*P. kesiya*, mistletoe, 847N
—*P. koraiensis*, *Armillaria ostoyae* on, first report in Russian Far East, 101N
Pitt, J. I., 537N
Pittman, R. N., 517
Platt, H. W., 1112
Ploetz, R. C., 1063N
Plum pox virus, cover photo, December
Poa pratensis
—ergot, fungicide for control, 685
—*Magnaporthe rhizophila*, first report in North America, 1169N
—yellow tuft, in Illinois, 647N
Podosphaera leucotricha, on apple, plant oil effect, 152
Poinsettia, Corynespora leaf spot, in Louisiana, 537N
Polskon, J. E., 1181
Polypogon monspeliensis, bacteria and nematode infection, livestock death association, 635
Pond, E., 791
Poplar (see also Aspen)
—leaf rust: epidemic in Columbia River Valley, 528; first report of Eurasian species, in North America, 532
Porter, D. M., 480
Postharvest pathology
—*Alternaria* on apple fruit, fungicides, 976
—*Botrytis* decay on tomato, heat treatment, 985
—carrot black root rot, handling and dip treatments, 989
—*Epicoccum nigrum* on cantaloupe, 1060
—*Penicillium expansum*, conidia in pome fruit packinghouse water, 828
Postman, J. D., 953N
Potato
—bacterial ring rot, detection, 1243
—black dot, Verticillium wilt, and powdery scab of, in Washington, 74
—*Colletotrichum* on, cover photo, January
—late blight, migrations, historical, 653
—leafroll, beet western yellows relation, 718
—root-knot nematode on, management with green manure, 42
—russet scab, strains, Quebec, 1217
—scab, resistance evaluation by cluster analysis, 911
—tissue culture, use in disease studies, 1112
—Verticillium wilt and pink-eye, relation, 402
Potato leafroll virus
—detection in leaf and aphid extracts, dot-blot hybridization, 1098
—PCR amplification for detection, 595
—on rapeseed, epidemiology, 420
Potato virus Y, strains in North America, properties, 87
Prados, A. M., 952N
Prasar, S., 536N
Pratt, R. C., 1227
Pretorius, Z. A., 1063N
Prévost, D., 1093
Prune
—wind scab: cover photo, January; symptomatology and postharvest decay, 90
Prusky, D., 114, 249
Pscheidt, J. W., 261, 831
Pseudomonas spp.
—*P. corrugata*, on tomato, in Argentina, 428N
—*P. fluorescens*, smut spore suppressed by, 1012
—*P. pseudoalcaligenes*, on watermelon, fruit entry, 1090
—*P. solanacearum*: on *Heliconia*, race 2 in Australia, 319N; on perilla, transmission, 674; on *Sesbania rostrata*, in Malaysia, 318N; on tomato, biovars and races in Nepal, 905
—*P. syringae*: on crucifers, 414; on fennel, new in California, 319N; on kiwifruit, in California, 228; on soybean, double-crop and tillage, 1151
—*P. viridiflava*, on kiwifruit, in California, 228

Puccinia spp., on wheat, barley yellow dwarf virus association, genetic, 1103
—*P. asparagi*, on asparagus, resistance, 1144
—*P. coronata*, on *Avena* spp., resistance, 355
—*P. graminis*: on barley, resistance, detection of gene *Rpg*1, 626; on *Bromus catharticus*, new record in South Africa, 1063N; on tall fescue, endophyte influence, 574; on wheat, races in USA, 1122; on wheat and oat, races in 1990, 125; on wheat and oat, races in 1991, 125
—*P. grindeliae*, on broom snakeweed, teliospore germination, 149
—*P. helianthi*, on Jerusalem artichoke, genotype reaction, 242
—*P. hordei*, on barley, pathotypes, gene *Rph*7, 867
—*P. recondita*: on wheat, resistance diversity, 359; on wheat, resistance, genetic analysis, 416; on wheat, virulence and diversity in USA, 786
—*P. sorghi*, on corn, resistance in disease nurseries, 760
—*P. substriata*, on pearl millet, virulence identification, 100N
Pumpkin, powdery mildew, triadimefon effect, 319N
Punja, Z. K., 930, 989
Purcifull, D. E., 747
Pusey, P. L., 170
Pyrenophora spp.
—*P. teres*, on barley, host range in California, 942
—*P. tritici-repentis*: spore production, 981; on wheat, cover photo, October; on wheat, nitrogen fertilizer effect, 508
Pyricularia grisea
—cover photo, March, *756N*
—on rice, pathogenic variability in Colombia, 1029
—on wheat, host range, Brazil, 1211
Pyrus serotina, black spot, first report in France, 428N
Pythium spp.: on alfalfa rootlets, fungicide effect, 601; on pea, biocontrol, 1185; on sainfoin, root rot, nitrogen fixation, metalaxyl and mycorrhiza effect, 1093
—*P. aphanidermatum*: on cucumber, suppression by bacteria, biocontrol, 139; on cucumber, transmission and control under irrigation, 287
—*P. ultimum*: on cotton, bacterial control, 278; monoclonal antibody specific, detection, 692

Quarantine, National Germplasm Center, processing, 854
Quercus cerris, *Tubakia dryina* on, first report, 647N
Quimby, P. C., Jr., 681

Ragab, M. M., 79
Ragab, Mona M., 79
Rahman, F., 160
Rajnauth, G., 210N
Rajotte, E. G., 296
Ranieri, R., 623
Rapeseed
—blackleg disease, sporulation and mating of pathogen crosses, 538
—potato leaf roll disease of, epidemiology, 420
Rasmussen, P. E., 803
Raspberry, root rot of, in Chile, 715
Ravenscroft, A. V., 1012
Reardon, T. B., 635
Reaver, D. M., 647N
Reddy, M. V., 231
Redlin, S. C., 1060
Reed, G., 420
Reed, J. P., 186
Rees, N. E., 681
Refatti, E., 496
Reid, C. L., 63
Reid, L. M., 1248
Reisenauer, G., 420
Resistance
—artichoke to rust and mildew, 242
—asparagus to rust, 1144
—*Avena* spp. to oat crown rust, 355
—barley to stem rust, 626
—bean: to Ascochyta blight, 711; to Fusarium wilt, races, 492
—chickpea to Ascochyta blight, 231
—corn: to ear rot, 1248; to gray leaf spot, 382; to northern leaf blight, 1227
—lupine to Phoma pod and stem rot, 926
—oat to loose smut, 818, 822
—potato to scab, evaluation by cluster analysis, 911
—sorghum to anthracnose, dilatory, 908
—sugarcane to smut, 1221
—tobacco: to black root rot, 1035; to tobacco etch and tobacco vein mottling viruses, 662
—tomato: to bacterial wilt, in Nepal, 905; to root rot, 1256; to spotted wilt tosporvirus, 938
—wheat: to leaf rust, 416; to powdery mildew, 618
Reuveni, R., 580
Reviewers, acknowledgment of, 106
Rezende, J. A. M., 744
Rhizobium sp., on sainfoin, Pythium root rot effect, 1093
Rhizoctonia spp.: binucleate, on loblolly pine, characterization, 754; on leafy spurge, biocontrol, 681
—*R. bataticola*, on sesame, cover photo, February
—*R. solani*: on alfalfa rootlets, fungicide effect, 601; on *Coleus*, in India, 429N; on cotton, bacterial control, 278; on cotton, seedling disease interaction with fungicide and planting date, 79; on periwinkle, in Alabama, 1169N; on rice, sclerotial density, in fields, 257; in soil, AG-7, 1262N; on soybean, dry bean, and lima bean, disease reaction, 234; survival in peanut shells, in soil, 973; on tall fescue, effect of endophyte, 157; on zoysiagrass, pathogenicity, 1040
Rhizosphaera kalkhoffii, on spruce, in Minnesota and Wisconsin, 630
Rhizosphere, lettuce, compost phosphate and solarization effect, 886
Rhopalosiphum maidis, maize dwarf mosaic virus vector, johnsongrass effect, 613
Rhytisma punctatum, on maple, cover photo, August
Ribes spp., vein-banding disease, geographic and host range, 953N
Rice
—bacterial blight, epidemiology, 5
—black sheath rot, in Florida, 210N
—blast, pathogenic variability in Colombia, 1029
—disease survey, in Cameroon, 133
—sheath blight, sclerotial density in Mississippi fields, 257
—tungro epidemic, history in Philippines, 376
—tungro, serological monitoring in field, 877
Ricker, M. D., 364, 1069
Riedel, R. M., 186, 364
Riess, C. M., 846N
Riggs, J. L., 1263N
Rimmer, R. S., 538
Ristaino, J. B., 193
Ritchie, D. F., 1263N
Rizvi, S. S. A., 1126
Roberts, J. J., 125, 129, 786, 1122
Roberts, P. A., 847N
Roberts, R. G., 810
Rocheford, T. R., 1169N
Rodrigues-Ballesteros, O. R., 1063N
Rodriguez, C. M., 55
Rodriguez, R., 100N
Rodriguez, R. J., 1198
Roelfs, A. P., 125, 129, 786, 1122
Rogers, J. D., 1168N
Rojas, M. R., 340
Rom, M., 253
Romero, J., 210N, 429N
Roncadori, R. W., 1026
Ronco, L., 428N
Rose
—black spot, variance in Mississippi, 246
—Botrytis blossom blight, postharvest control, 283
Rosenberger, D. A., 372, 756N
Ross, E. W., 136
Rossel, H. W., 60
Rothrock, C. S., 1262N
Roy, K. W., 1262N
Royer, M. H., 211
Rufty, R. C., 662
Runion, G. B., 166, 754
Rupe, J. C., 1264N
Russell, D. R., 340
Ruter, J. M., 101N, 318N, 1168N
Ryegrass, ergot, sclerotial collection, 1020

Sáiz, M., 210N, 429N
Saghai Maroof, M. A., 583
Saini, R. G., 359
Salgado, M. O., 492
Sams, C. E., 1060
Sandlan, K. P., 653
Sandlin, C. M., 591
Sanogo, S., 287
Santo, G. S., 42
Santos, A. A., 276
Sapozhnikov, A., 101N
Savary, S., 376
Sawamura, K., 546
Scaphoideus titanus, grapevine yellows virus vector, in New York, 408
Schading, R. L., 846N
Scharen, A. L., 1266
Schaeffer, D. O., 797
Schizothyrium pomi, on apple, eradicant spray, 451
Schmitt, D. P., 780
Schmitthenner, A. F., 234
Schneider, K. E., 152
Schubert, T. S., 101N
Schuerger, A. C., 472
Schultz, T. R., 685
Schuster, D. J., 1181
Schwartz, H. F., 492
Sciumbato, G. L., 954
Sclerophthora macrospora
—on bluegrass: cover photo, June; in Illinois, 647N
Sclerotinia spp.
—*S. minor*: on *Lupinus texensis*, first report in Texas, 318N; on peanut, growth and sclerotial production, 576; sodium tetrathiocarbonate for, 995
—*S. sclerotiorum*: on brussels sprout, cover photo, February; on cabbage, cover photo, August
Sclerotium rolfsii, on Australian ferns, southern blight, 756N
Sehgal, O. P., 60
Seifers, D. L., 335
Semeniuk, G., 37
Septoria spp.
—*S. apiicola*, on celery, fungicides for, 1081
—*S. glycines*, on soybean, double-crop and factors, 1151
—*S. nodorum*: on wheat, disease severity and

yield relation, 398; on wheat, global occurrence, 1266
—*S. tritici*, on wheat, global occurrence, 1266
Sequoiadendron giganteum, foliar blight and root rot, container-grown, 591
Sesbania rostrata, bacterial wilt, in Malaysia, 318N
Shafii, B., 348
Shah, D., 468
Shaw, C. G., III., 847N
Shaw, M. E., 290
Shearer, B. L., 1085
Sherald, J. L., 190
Sherwood, J. L., 21, 1202
Shew, H. D., 1035
Shimoni, M., 580
Shine, J. M., Jr., 511
Shiwani, 359
Shoemaker, P. B., 1035
Shubert, T. S., 847N
Shukla, R. S., 429N
Siegerist, W. C., 981
Simms, E. L., 901
Simpson, C. E., 576
Simpson, R. E., 1264N
Sinaloa tomato leaf curl virus, on tomato and pepper, Mexico, 1262N
Sinclair, J. B., 70, 329
Singh, H. N., 429N
Singh, K. B., 231
Singh, K. P., 429N
Singh, R. P., 416, 1103
Singh, S. J., 1168N
Sirococcus spp.
—*S. clavigignenti-juglandacearum*, on butternut, cover photo, June
—*S. conigenus*, on spruce, first report in Norway, 1169N
Sitona hispidulus, on alfalfa, feeding activity and *Fusarium* interaction, 799
Sitton, J. W., 1148
Skoglund, L. G., 1260
Skrzeczkowski, L. J., 595, 919
Slack, S. A., 744, 1243
Smedegaard-Petersen, V., 896
Smiley, R. W., 521, 803
Smith, K. P., 139
Smith, O. P., 1098
Smith, V. L., 197, 536N
Snyman, H. G., 1009
Sobiczewski, P., 266
Soilborne wheat mosaic virus, detection with biotinylated RNA probes and ELISA, 536N
Solanum lycocarpum, *Stemphylium solani* on, natural host, 846N
Solarization, gypsophila diseases controlled by, 933
Solihati, W. D., 976
Sommerfeld, M. L., 741
Sonoda, R. M., 101N, 847N
Soomro, M. H., 101N
Sorghum
—anthracnose: dilatory resistance, 908; survival in residue, 825
Sorghum halepense, in corn, maize dwarf mosaic virus affected by, 613
Soursob, rhabdovirus, cover photo, March
Soybean
—Choanephora leaf blight, Mississippi, 1262N
—cyst nematode: cropping system effect, 780; detection in Brazil, 499
—disease loss estimates: north central USA, 1170; in southern USA, 954
—disease pressure, in Illinois, 1136
—double-crop, foliar diseases, tillage and cultivar factors, 1151
—Phomopsis seed decay, disease study prototype, 329
—*Phomopsis* spp. on, immunodetection, 70
—Rhizoctonia root and hypocotyl rot and web blight, cultivar reaction, 234
—sudden death syndrome: field and greenhouse reaction compared, 163; *Fusarium* and cyst nematode association on, 647N; in Kansas, 1264N
Soybean mosaic virus, isolates, low temperature attenuation, 882
Spaner, D., 1248
Spencer, J. A., 246
Spencer, N. R., 681
Sphaerellopsis filum, on bird's-foot trefoil, first US report, 100N
Sphaeropsis ulmicola, on elm, inoculation response, 678
Sphaerotheca fuliginea
—on melon, resistance to race 1, detection assay, 513
—on pumpkin: cleistothecia occurrence, 647N; triadimefon for, 319N
Spiegel, S., 1176
Spielman, L. J., 653
Spinach
—anthracnose: first report in California, 318N; vegetative compatibility, 688
Spiroplasma, on maize, in Argentina, 100N
Spongospora subterranea, on potato, development in Washington, 74
Spotts, R. A., 47, 828
Spruce, needlecast, characteristics in Minnesota and Wisconsin, 630
Spurr, H. W., Jr., 455
Squash, fruit rot in Florida, 847N
St. Augustinegrass, take-all and root rot, 206
St. Hill, A., 210N
Stace-Smith, R., 718
Stack, R. W., 953N
Stagonospora nodorum, on wheat, seedborne, 468
Stall, R. E., 1090, 1217
Stanosz, G. R., 1022
Stansly, P. A., 1181
Stapleton, J. J., 886
Steffenson, B. J., 626, 867, 942
Stemphylium spp.
—*S. solani*, on *Solanum lycocarpum*, natural host, 846N
—*S. vesicarium*: on garlic, cover photo, September; on garlic, first report in Spain, 952N; on onion, seed treatment, 1009
Stenocarpella spp., pycnidiospore production, medium for, 424
Stenotaphrum secundatum, take-all, in California, 536N
Stephens, P. A., 163
Stevenson, W. R., 309
Stewart, E. L., 892
Stobbs, L. W., 318N
Stoltz, M. A., 521
Story, R. N., 797
Stover, R. H., 101N
Strawberry
—angular leaf spot, North Carolina, 1263N
—anthracnose fruit rot, field factors, 861
—marginal chlorosis, bacterium association, 1055
Strawberry mild yellow-edge virus, PCR amplification for detection, 595
Streptomyces spp., on potato, strains, 1217
—*S. ipomoeae*, on sweetpotato, resistance and factors affecting, 193
—*S. scabies*, on potato, resistance evaluation by cluster analysis, 911
Stromberg, E. L., 583, 618, 647N
Stuthman, D. D., 818, 822
Stylosanthes scabra, anthracnose, pathogen variation, bioassy, 1016
Su, C. C., 642
Sugarcane
—leaf scald, first report in Mexico, 846N
—ratoon stunting disease, tissue-blot immunoassay, digital image analysis, 511
—smut, resistance, 1221
Sugarcane mosaic virus, strain, on gamagrass, 335
Sugar, D., 47
Sugar maple, anthracnose, symptoms and pathogenicity, 1022
Sujkowski, L. S., 653
Sumner, D. R., 79, 973
Sumner, H. R., 505
Sutton, J. C., 698
Sutton, T. B., 181, 385, 451
Sweetpotato
—chlorotic leaf distortion, Kenya, 1260
—*Erwinia chrysanthemi* and *Fusarium solani* interaction, 733
—Streptomyces soil rot of, resistance and factors affecting, 193
Swings, J., 5

Tabashnik, B. E., 969
Tainter, F. H., 17
Taxus spp., Phytophthora root rot, first report in Ohio, 537N
Taylor, N. J., 429N
Taylor, S. J., 569
Tchatchoua, J., 133
TeBeest, D. O., 1164
Tehrani, B., 915
Tekauz, A., 398
Téliz, D., 1205
Teng, P. S., 211, 376
Thermotherapy, virus detection, 1176
Thielaviopsis basicola, on tobacco, resistance and fumigation, 1035
Thomas, P. E., 420
Thomson, S. V., 756N
Thottappilly, G., 60
Tilletia spp.
—*T. controversa*, on wheat, seed treatment, 1148
—*T. laevis*, spore inhibition by *Pseudomonas*, 1012
Timmer, L. W., 501, 791
Tiongco, E. R., 376, 877
Tisserat, N. A., 1040
Tissue culture, potato, applications, 1112
Tobacco, black root rot, resistance and fumigation, 1035
Tobacco etch virus, resistance inheritance, 662
Tobacco vein mottling virus, resistance inheritance, 662
Toman, J., 562, 1169N
Tomato
—bacterial canker: control in North America, 1069; secondary spread and yield, 364
—bacterial wilt, biovars and races in Nepal, 905
—big bud disease, leafhopper-transmitted agent, 290
—early blight, fungicide treatment, 484
—fruit decay, heat treatment, 985
—fungicides for diseases of, spray drift and implication, 186
—Phytophthora blight and root rot, pathogenicity in Taiwan, 588; resistance in Korea, 1256
—Phytophthora root rot, population and yield factors, 1106
—pith necrosis, in Argentina, 428N
Tomato leaf curl virus
—nucleotide sequence, 1158N
—on pepper and tomato, 1262N
Tomato mottle virus
—cover photo, December
—host range, Florida, 1181
Tomato ringspot virus, on peach, graft inoculation to *Prunus*, 101N
Tomato spotted wilt tosporvirus, resistance

evaluation, 938
Tomato spotted wilt virus
—on *Capsicum chinense*, in Brazil, 210N
—on *Ficus* spp., in Spain, 536N
—first report on bedding plants in Georgia, 101N
—on grapevine, in Ontario, 318N
—oil, soap, and film products, control, 915
—on orchids, detection in Hawaii, 464
—on pepper and weeds, transmission, 797
Tomato yellow leaf curl virus
—DNA accumulation in tomato, 253
—first report in Spain, 953N
—whitefly-transmitted, PCR for detection, 340
Tooley, P. W., 653
Torres, R., 1239
Trujillo, E. E., 428N
Trujillo, G. E., 847N
Truol, G. A., 100N
Tsai, J. H., 367
Tubakia dryina, on *Quercus cerris*, 647N
Turf
—patch disease, *Magnaporthe* association, 429N
—tall fescue, endophyte effect on *Rhizoctonia*, 157
Turner, B. M., 101N
Turner, D. L., 1263N
Turnip, vein-clearing tobamovirus on, occurrence, 21
Turnip vein-clearing virus, cover photo, January
Tushemereirwe, W. K., 1063N
Tzeng, K.-C., 674

Uddin, W., 521, 803
Ullman, D. E., 938, 969
Urashima, A. S., 1211
Uromyces ciceris-arietini, on chickpea, cover photo, September
Ustilago spp.
—*U. avenae*: on oat, resistance evaluation, 818; on oat, resistance inheritance, 822
—*U. scitaminea*: on sugarcane, resistance, 1221; teliospore longevity in soil, 393
Uyemoto, J. K., 101N, 756N

Valencia, J., 537N, 1169N
Valverde, R. A., 797
VanGessel, M. J., 489, 613
Van Scoyoc, S. W., 583
van Vuuren, S. P., 24
Vein-banding virus, on currant, cover photo, September
Velicheti, R. K., 70
Venturia inaequalis
—on apple: cover photo, May; fungicide program, 372; plant oil effect, 152
Verbyla, D. L., 136
Verslues, P. E., 569
Verticillium spp.
—*V. albo-atrum*, on potato, relation with pink-eye, 402
—*V. dahliae*: on impatiens, first report in USA, 429N; on potato, development in Washington, 74
Viruses
—detection and thermotherapy, 1176
—geminiviruses, whitefly-transmitted, PCR for detection, 340
—transmission assays, aphid harvesting, acetone use, 744
Vivero, M., 756N
von Qualen, S. K., 424

Waddell, C. A., 149
Waldher, J. T., 1148
Walla, J. A., 952N
Wallace, M., 315
Wang, M., 464, 952N
Wang, S. Y., 174
Warren, H. L., 424
Watermelon
—fruit blotch, bacterial entry to fruit, 1090
—potyviruses of, epidemics, oil effect, 869
Watermelon mosaic virus 2, germ plasm resistant to, 352
Waterworth, H., 854
Webb, S. E., 869
Webster, R. K., 942
Weiner, A., 847N
Welty, R. E., 574
Welz, H. G., 1153
Wenefrida, I., 246
Wenner, N. G., 430
West, C. P., 225
Westerdahl, B. B., 847N
Westra, A. A. G., 1243
Wheat
—barley yellow dwarf virus and rust linkage, genetic association, 1103
—blast, host range, Brazil, 1211
—bunt, biocontrol with *Pseudomonas fluorescens*, 1012
—dwarf bunt, difenoconazole seed treatment, 1148
—leaf rust: resistance diversity, 359; resistance, genetic analysis, 460
—leaf spot, physiologic, 521
—pathogens in residues, management effect on survival, 698
—physiologic leaf spot, crop management effect, 803
—powdery mildew, adult-plant resistance and yield loss, 618
—rust, races in USA in 1990, 125
—Septoria nodorum leaf and glume blotch: global occurrence, 1266; severity and yield, 398
—*Stagonospora nodorum* on, seedborne, 468
—stem rust: races in USA, 1122; races in USA in 1991, 129
—tan spot, nitrogen effect, 508
Wheat soilborne mosaic virus, PCR-based assay, 1202
Wheat streak mosaic virus, on grasses, survival in Kansas, 239
White, D. G., 562, 1169N
Wiebe, W. L., 414
Wilcox, W. F., 63
Wilcoxson, R. D., 818, 822
Wilkinson, H. T., 100N, 536N, 647N
Williams, J. L., 1168N
Williams, P. H., 538
Willis, W. G., 239
Wilson, D. M., 121, 608
Wilson, D. O., Jr., 348
Wilson, D. R., 402, 911
Wilson, J. H., 42
Wilson, J. P., 100N, 121
Wilson, L. L., 861
Winters, S. A., 1262N
Wise, R. P., 355
Wollenhaupt, N. C., 1151
Woodard, K. E., 318N, 576
Wrather, J. A., 647N, 1151
Wright, J. M., 352
Wu, Z. C., 952N
Wutscher, H. K., 1264N
Wyatt, S. D., 922
Wysocki, D. J., 803

X-disease, sweet cherry, cover photo, July
Xanthomonas spp.
—*X. albilineans*: on sugarcane, first report in Louisiana, 537N; on sugarcane, first report in Mexico, 846N
—*X. campestris*: on avocado, canker cause in California, 95; on citrus, host range and leaf mesophyll relation, 1004; on *Crambe abyssinica*, in Missouri, 569; on onion, in Barbados, 198; on snap bean, cover photo, February
—*X. oryzae*, on rice, bacterial blight, 5
—*X. fragariae*, on strawberry, North Carolina, 1263N
Xu, M. Q., 464, 952N
Xylella fastidiosa
—on elm, sycamore and elm strains compared, 190, 1262N
—on pear, pathogenicity in Taiwan, 642

Yang, S.-M., 319N
Yang, X. B., 1164
Yoshikawa, F. T., 756N
Yu, Y. G., 583
Yuen, G. Y., 692
Yuki, V. A., 744

Zabik, M. J., 1114
Zaviezo, T., 1239
Zeigler, R. S., 1029
Zettler, F. W., 747
Zhang, Y.-P., 101N
Zheng, J., 393
Zhuang, J.-Y., 319N
Zitko, S. E., 501, 791
Zoysia japonica
—large patch disease, pathogenicity of *Rhizoctonia* and *Ophiosphaerella*, 1040
—take-all, in Illinois, 100N
Zwer, P. K., 803